# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 2 | "6839748".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 10:59 |
| L2 | 1 | "6539501".PN. | USPAT; USOCR | OR | OFF | 2007/07/19 10:59 |
| L3 | 1 | "6530079".PN. | USPAT; USOCR | OR | OFF | 2007/07/19 11:03 |
| L4 | 639 | (event$1 near3 port$1) and (port$1 near3 (state$1 status)) | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 11:05 |
| L5 | 1 | (event$1 near3 port$1) and (port$1 near3 (state$1 status) near5 alert) | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 11:05 |
| L6 | 0 | 4 and (event$1 near3 (type$1 parameter$1 attribute$1) near5 alert$1) | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 11:06 |
| L7 | 14 | 4 and (event$1 near3 (type$1 parameter$1 attribute$1) with (alert$1 notif$7)) | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 11:06 |

Google

"event port" alert thread sleep wait asynchron[c]  Search    Advanced Search
Preferences
New! View and manage your web history

**Web**                    Results **1 - 10** of about **35** for **"event port" alert thread sleep wait asynchronous**. (**0.28** seconds)

### Code Completion WineLib
47 * Every **thread**/process can use an own **event port** or a group of them 48 * can use a ...
That is the main task of the **alert** event. 60 * The **alert** event is ...
www.google.com/notebook/public/06418770807380767351/BDUOQIgoQkYvKh70h - 34k -
Jul 17, 2007 - Cached - Similar pages

### Patch Name: PHKL_31500 Patch Description: s700_800 11.23 Sept04 ...
This causes the subsequent calls on the stream to **sleep** infinitely in an ...... The kernel fails
to **wait** for **asynchronous** pageout IO requests, ...
www.informatik.uni-frankfurt.de/RBI/hp-service/patches/s700_800/11.X/PHKL_31500.txt -
915k - Cached - Similar pages

### [z] PaCkAgE DaTaStReAm AURAsio16 1 771 # end of header ...
File Format: Compress Archive - View as HTML
ICTO is the time, in milliseconds, that the CD240X will **wait** idle ...... Lp Lш M M M0 MP
M`noevent **event port** reset clear start stop dump show showevents ...
auroratech.com/uploadcache/drv_AURAsio16_5.18_sparc_sos5.7.stream.Z - Similar pages

### [PDF] Using Orbacus
File Format: PDF/Adobe Acrobat
Generate code with support for **Asynchronous** Method Invocation ...... **Thread.sleep**
(1000);. 22. } 23. catch(InterruptedException ex) ...
www.orbacus.com/support/docs/4.3.2/using_orbacus/using_orbacus.pdf - Similar pages

### [PDF] System Administration Guide: Solaris Containers, Resource ...
File Format: PDF/Adobe Acrobat
two types of control violations are synchronous and **asynchronous**. ...... User Lock **Wait**
**Sleep** Time. ltime. Amount of time spent waiting. for user locks ...
www.sun.com/bigadmin/content/zones/sys-admin-rm.pdf - Similar pages

### From patrick at digitalpeaks.com Sun Nov 1 10:43:06 1998 From ...
If you want to add **asynchronous** socket handling to OmniNetworking, a better way to .....
which tries to send the messages to the **event port** OA has set up. ...
www.omnigroup.com/mailman/archive/macosx-dev/1998-November.txt - 382k -
Cached - Similar pages

### [PDF] System Administration Guide: N1 Grid Containers, Resource ...
File Format: PDF/Adobe Acrobat
The following **event port** resource controls have been added: ...... User Lock **Wait Sleep**
Time. ltime. Amount of time spent waiting. for user locks ...
icc.mpei.ru/documents/00000801.pdf - Similar pages

### NEOHAPSIS - Peace of Mind Through Integrity and Insight
If there are biods running in the system, **asynchronous** reads are done by the kernel on
behalf of ..... Used a different address for each **thread** to **wait** on. ...
archives.neohapsis.com/archives/hp/2004-q1/0039.html - Similar pages

### [PDF] SystemAdministrationGuide: SolarisContainers-Resource ...
File Format: PDF/Adobe Acrobat
With **asynchronous** enforcement, a small delay occurs as a result of the sampling ......
User Lock **Wait Sleep** Time. ltime. Amount of time spent waiting for ...
192.18.109.11/819-2450/819-2450.pdf - Similar pages

### [PDF] Oracle Application Server 10g (9.0.4) Release Notes

File Format: PDF/Adobe Acrobat
When you associate an event schema with an **event port**, you can assign only one port ......
**Thread.sleep**(5000); // **sleep** for 5000 milliseconds. client. ...
download.oracle.com/docs/cd/B14099_19/win.1012/relnotes.1012/relnotes.pdf -
Similar pages

**1** 2 3    **Next**

Try Google Desktop: search your computer as easily as you search the web.

---

| "event port" alert thread sleep wait a | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 4 | "6223207".pn. "6823516".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:27 |
| S2 | 1 | ("6223207".pn. "6823516".pn.) and (event near3 port$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:07 |
| S3 | 2 | ("6223207".pn. "6823516".pn.) and (event$1 alert$1) and port$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:10 |
| S4 | 10793 | 712/28-43,200-207,216-248.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:12 |
| S5 | 4906 | 718/100,101-103,106-108.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:12 |
| S6 | 6414 | 719/310,311-320,328-332.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:13 |
| S7 | 5126 | (thread$1 process processes) near5 (wait$3 sleep$3) near5 (event$1 data alert$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:13 |
| S8 | 155 | S7 and ((event$1 alert$1 alarm$1 data) near4 queu$4) and ((event$1 alert$1 I$1O) near3 port$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:15 |
| S9 | 4 | S4 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:15 |

| S10 | 4 | S4 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:15 |
|-----|-----|-----|-----|-----|-----|-----|
| S11 | 10 | S5 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:23 |
| S12 | 12 | S6 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:36 |
| S13 | 13 | (event adj2 port$1) and (port$1 near4 chang$3 near5 (state$1 status data)) and alert | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:39 |
| S14 | 2 | (event adj2 port$1) and (port$1 near4 chang$3 near5 (state$1 status data)) and (alert near3 event$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:44 |
| S15 | 13 | S8 and (port$1 near4 chang$3 near5 (state$1 status data)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/06/28 09:44 |
| S16 | 284 | (queue$1 near3 port$1) same (event$1 alert$1 alarm$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 11:51 |
| S17 | 130 | S16 and (port$1 near3 (state$1 status$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 11:52 |
| S18 | 8 | S17 and ((state$1 status$1) near4 alert) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 11:54 |
| S19 | 9 | S17 and (thread$1 near5 (wait$3 queue$3 sleep)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:08 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S20 | 1 | S17 and ((port$1 queue$1) with (error$1 failure$1) with (chang$3 near3 (state$1 status$1))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:06 |
| S21 | 2 | S16 and ((port$1 queue$1) with (error$1 failure$1) with (chang$3 near3 (state$1 status$1))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:06 |
| S22 | 29 | S16 and (thread$1 near5 (wait$3 queue$3 sleep)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:21 |
| S23 | 941 | (thread$1 near5 (wait$3 queue$3 sleep) near5 event$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:21 |
| S24 | 67 | S23 and ((alert$1 complete) near5 queue$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:22 |
| S25 | 39 | S24 and ((state$1 status) near4 chang$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:22 |
| S26 | 2 | "5727214".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:27 |

# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 451 | (event$1 near4 (type$1 parameter$1 attribute$1)) near6 alert$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 09:42 |
| L2 | 343 | (event$1 near4 (type$1 parameter$1 attribute$1)) near6 alert | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 09:43 |
| L3 | 32 | 2 and ((event$1 alert$1) near4 queu$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 09:43 |
| S1 | 248 | (request$3 near3 (multiple number$1) near3 events) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/19 09:42 |
| S2 | 0 | (request$3 near3 (multiple number$1) near3 events) with port$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:38 |
| S3 | 15 | (request$3 near3 (multiple number$1) near3 events) with queue$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:39 |
| S4 | 83 | (request$3 near3 (multiple number$1) near3 events) and ((event$1 alert$1) near5 queue$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:43 |
| S5 | 9 | S4 and (stack$1 near4 queue$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:46 |
| S6 | 68 | (request$3 near3 (multiple number$1) near3 events) and ((event$1 alert$1) near5 queue$1) and port | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:43 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S7 | 0 | S1 and (stack$1 near4 queue$1 near5 priority) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:46 |
| S8 | 0 | S1 and (stack$1 near5 priority near5 request$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:47 |
| S9 | 0 | S1 and ((list$1 stack$1) near5 priority near5 request$1) with queue$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 12:47 |
| S10 | 47 | ((list$1 stack$1) near5 priority near5 request$1) with queue$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 13:08 |
| S11 | 2583 | event near3 port | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 13:09 |
| S12 | 418 | event adj port$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 13:09 |
| S13 | 14 | S12 and (thread$1 near5 event$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/14 13:09 |
| S14 | 14 | "4455602".pn. "6745262".pn. "6856950".pn. "5727214".pn. "5983308".pn. "6633923".pn. "6839708".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/16 09:43 |
| S15 | 66 | (queue$1 port$1) near4 (alert near3 (state$1 status)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | .OFF | 2007/07/17 13:52 |
| S16 | 8 | S15 and ((event$1 alert$1) near5 (flag$1 parameter$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/17 11:00 |

| S17 | 2 | (queue$1 port$1) near4 (alert near3 (state$1 status)) and (event$1 near4 queue$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/17 13:53 |
| S18 | 3 | (queue$1 port$1) near4 (alert near3 (state$1 status)) and (event$1 with queue$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/07/17 13:53 |